

Identification of Invasive Alien Species using DNA barcodes

Royal Belgian Institute of Natural Sciences Rue Vautier 29 1000 Brussels, Belgium +32 (0)2 627 41 23

natural sciences

Royal Museum for Central Africa Leuvensesteenweg 13, 3080 Tervuren, Belgium +32 (0)2 769 58 54



General introduction to this factsheet

The Barcoding Facility for Organisms and Tissues of Policy Concern (BopCo) provides an expertise forum to facilitate the identification of biological samples of policy concern in Belgium and Europe. BopCo is funded by the Belgian Science Policy Office (Belspo), and it represented part of the Belgian federal contribution to the European Research Infrastructure Consortium LifeWatch (November 2015 – February 2022).

Non-native species which are being introduced into Europe, whether by accident or deliberately, can be of policy concern since some of them can reproduce and disperse rapidly in a new territory, establish viable populations and even outcompete native species. As a consequence of their presence, natural and managed ecosystems can be disrupted, crops and livestock affected, and vector-borne diseases or parasites might be introduced, impacting human health and socio-economic activities. Non-native species causing such adverse effects are called Invasive Alien Species (IAS). In order to protect native biodiversity and ecosystems, and to mitigate the potential impact on human health and socio-economic activities, the issue of IAS is tackled in Europe by EU Regulation 1143/2014 of the European Parliament and Council. The IAS Regulation provides for a set of measures to be taken across all member states. The list of *Invasive Alien Species of Union Concern* is regularly updated. However, to implement the proposed actions, methods for accurate species identification are required when suspicious biological material is encountered.

Because morphology-based species identifications are not always possible (e.g. cryptic species, trace material, early life-stages), the purpose of the present work is to investigate and evaluate the usefulness of DNA sequence data to identify each of the IAS included in the EU Regulation. The results are presented as factsheets (one per IAS) compiled using publicly available DNA sequence data and information aggregated from various sources. Each factsheet consists of two major parts: (i) a short introduction to the specific IAS, with information on its taxonomy and current occurrence/distribution in Europe, (ii) an investigation with respect to the usefulness of publicly available DNA sequences to identify this IAS using DNA barcoding to the taxonomic level stated in the EU list. For further information about the reasoning behind the applied approach and details on the materials and methods utilised, please see below and Smitz et al. [1].

More info about BopCo on https://bopco.be or contact us via bopco@naturalsciences.be.

More info on the EU Regulation on https://ec.europa.eu/environment/nature/invasivealien/index en.htm.

Lithobates catesbeianus

(Shaw, 1802)

Common names:

English: American bullfrog, common bullfrog, bullfrog

French: grenouille-taureau

German: (Nord)Amerikanische Ochsenfrosch

Dutch: Amerikaanse stierkikker, Amerikaanse brulkikker

Last update: January 2019



General information on Lithobates catesbeianus Classification Kingdom Phylum Class Order Family Genus Animalia Chordata Amphibia Anura Ranidae Lithobates

Species in the same genus: N = 51 [2-4]

Note: The phylogeny of the family Ranidae is still a matter of discussion. The genus *Lithobates* as defined by Frost *et al.* (2006) is not commonly accepted and the name *Rana catesbeiana* is often used [e.g. 3]. We follow the classification of the Amphibian of the World online reference database [2].

Infra-species level: N = 0 [2]

Note: To our knowledge, no subspecies have been described.





Native range: [5-7]

Central and eastern part of North America (Canada, Mexico, USA).

Invasive range: [7-10] Europe (geographical):

Belarus, Belgium, Denmark, France, Germany, Greece, Italy, Netherlands, Russia, Slovenia, Spain (incl. Canary Islands), United Kingdom.

For more detailed locality information and the most recent distribution updates, please visit:

https://easin.jrc.ec.europa.eu/spexplorer/species/factsheet/R08679

https://www.gbif.org/species/2427091 (Lithobates catesbeianus)

https://www.gbif.org/species/2427092 (Rana catesbeiana)

Outside Europe (geographical):

Asia, Caribbean, Namibia, South and Central America, western part of North America (including Hawaii).

Morphology, biology, invasion, negative effects and remedies

For more information on *Lithobates catesbeianus* please see the references and online information listed at the end of this document.


Species identification based on DNA barcodes

Introduction

DNA barcoding is a species identification method that uses a short genetic sequence (DNA barcode) to compare an unknown sample to a database of reference sequences with known species affiliations. The underlying rationale is that the divergence of nucleotide sequences among different species is larger than the nucleotide divergence between sequences within a species. DNA barcoding can facilitate the identification of IAS samples, especially when morphological characteristics are absent or useless. However, to assure correct species identifications, reference libraries need to include a sufficiently large number of sequences of (i) the IAS under investigation to assess the intraspecific genetic divergence, (ii) the closely related species to evaluate the interspecific genetic divergence, and (iii) the different geographical areas covering the distribution range (native and invasive) of the IAS to detect potential population structure or local hybrids.

In this context, BopCo evaluated the inclusion of the IAS and their close relatives in both publicly available reference libraries BOLD (www.boldsystems.org/) and GenBank (www.ncbi.nlm.nih.gov/nuccore/) to estimate the reliability with which a species identification can be obtained using DNA barcoding.

Material and Methods [1]




Download all sequence data available for the genus



Filtering the data and selecting 'promising' markers



Aligning and trimming of the sequences



Building Neighbour-Joining tree with Bootstrap support

Conclusion

Based on the present evaluation of the available sequence data, 12S and 16S are the most reliable DNA markers for the identification of *Lithobates catesbeianus*. To allow for a better evaluation of the performance of these markers, the missing species as well as additional sequences for the species now represented by one unique sequence only should be added.

Discussion

DNA markers for which *Lithobates* sequences were available, including those listed as *Rana*, were downloaded from GenBank and BOLD for all represented species of the genus *Lithobates* as defined by Frost [2] and Frost *et al.* [3]. Ten DNA markers were evaluated (Table 1).

At first glance **COI**, **cytb**, **12S**, **16S** and **ND2** look promising, since for each of these markers *L. catesbeianus* sequences form highly supported clusters and many of the other species represented by ≥ 2 sequences also cluster. For cytb, **12S**, **16S** and ND2, however, around half of the species are represented by one unique sequence only in the final NJ-trees. To allow for a better evaluation of the performance of these markers for species identifications, the missing species (Table 2) as well as more sequences per species should be added. The number of species currently represented in GenBank and BOLD suggests that **12S** and **16S** are the most suitable and require the least amount of additional work to complete the dataset for this genus.

MHC IIβ and RAG-1 recover *Lithobates catesbeianus* as a supported cluster, but suffer from various issues (Table 1). It is not advisable to apply these markers for species identification.

For **rho**, **RAG-2** and **NF** only one or two species (including *L. catesbeianus*) are represented by two or more sequences. Therefore it is currently impossible to assess the ability of these markers to identify *L. catesbeianus*.

Table 1: Overview of the encountered issues concerning the DNA-based identification of the IAS [1]: (1) Insufficient publicly available DNA sequences of the IAS to capture the intra-species divergence; (2) Poor geographical coverage of the IAS sequences (native or invasive range missing); (3) The IAS sequences do not form supported clusters; (4) Potential misidentification of a specimen which influences the clustering of the IAS sequences; and (5) Not all congeneric species are represented in the final NJ-tree. An 'X' indicates that the issue was encountered.

Markers analysed	1	2	3	4	5
COI					Х
cytb					Χ
125					X
16S					Х
ND2					Х
мнс ііβ	Х	Х			Х
rho		Х	X		Х
RAG-1	X	X			X
RAG-2	X	X	X		X
NF	Х	Х	Х		Х

Table 2: Publicly available sequences downloaded (January 2019) from BOLD and GenBank (including sequences extracted from mitochondrial genomes) which were withheld as reliable and informative in the final alignment that was used for building the NJ-trees. The species names follow [2]. An 'X' indicates that at least one sequence was used in the final alignment, an 'S' indicates that the species was only represented in the alignment of trimmed fragments.

Species in genus	COI	cytb	12S	16S	ND2	мнс іів	rho	RAG-1	RAG-2	NF
Lithobates areolatus										
Lithobates berlandieri		Х	Х	Х	Х		Х	Х	Х	Х
Lithobates blairi	Х		S	Х		Х				
Lithobates brownorum			Х							
Lithobates bwana			S	Х						
Lithobates capito			Χ	Х	Х		Х			
Lithobates catesbeianus	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Lithobates chichicuahutla										
Lithobates chiricahuensis	Х	Х	Х	Х	Х	Х	Х	Х		Х
Lithobates clamitans	Х	Х	Х	Х	Х	Х	Х	Х	Х	Х
Lithobates dunni		Х	S	Х	Х			Х	Х	Х
Lithobates fisheri			S				Х			
Lithobates forreri	Х	Х	Х	Х	Х	X	Х	Х	Х	Х
Lithobates grylio		Х	Х	Χ	Х		Χ			
Lithobates heckscheri	Х	Х	Х	Х	Х		Х			
Lithobates juliani			S	Х	Х			X	Х	Х
Lithobates kauffeldi			S	Х						
Lithobates lemosespinali										
Lithobates lenca										
Lithobates macroglossa		Х	S	Х	Х			Х	Х	Х
Lithobates maculatus										
Lithobates magnaocularis		Х	Х	Χ	Х			Χ	Х	Х
Lithobates megapoda										
Lithobates miadis										
Lithobates montezumae		Х	S	Χ	Х			Х	Х	Х
Lithobates moorei										
Lithobates neovolcanicus		Х	Х	Χ	Х			Х	Х	Х
Lithobates okaloosae	Х	Х	Х	Х	Х					
Lithobates omiltemanus		Х	S	Х	Х			X	Х	Х
Lithobates onca		Х	S	Х	Х					
Lithobates palmipes	Х		Х	Х			Х			
Lithobates palustris	Х	Х	S	Х	Х	Х	Х	Х	Х	Х
Lithobates pipiens	Х		Х	Х	Х		Х			
Lithobates psilonota		Х	S	Х	Х			Х	Х	
Lithobates pueblae										
Lithobates pustulosus										
Lithobates septentrionalis	Х	Х	S	Х	Х			Х	Х	Х

Species in genus	COI	cytb	125	16S	ND2	мнс ііβ	rho	RAG-1	RAG-2	NF
Lithobates sevosus			S	Х						
Lithobates sierramadrensis		Х	S	Х	Х			Х	Х	Х
Lithobates spectabilis		Х	Х	Х	Х			Х	Х	Х
Lithobates sphenocephalus	Х					Χ				
Lithobates sylvaticus	Х	Х	Х	Х	Х	Χ				
Lithobates tarahumarae		Х	S	Х	Х		Χ	Х	Х	Х
Lithobates taylori	Х		S	Х						
Lithobates tlaloci		Х	S	Х	Х			Х	Х	Х
Lithobates vaillanti	Х		S	Х	Х	Χ		Х	Х	Х
Lithobates vibicarius		Х	S	Х	Х			Х	Х	Х
Lithobates virgatipes	Х	Х	S	Х	Х	Χ		Х	Х	
Lithobates warszewitschii	Х	Х	Х	Х	Х		Χ	Х	Х	Х
Lithobates yavapaiensis	Х	Х	Х	Х	Х	Χ	Χ	Х	Х	Х
Lithobates zweifeli		Х	Х	Х	Х			Х	Х	Х
TOTAL (trimmed) species	18/51	28/51	19(40)/51	38/51	32/51	11/51	15/51	25/51	24/51	23/51

For a more elaborate discussion of the available databases, the sequence selection process, the outcome of the NJ-tree analyses, the usefulness of the investigated DNA sequences for species identification, as well as information on how to send samples for analyses please contact BopCo directly.

References and online information

Online information

https://www.cabi.org/isc/datasheet/66618

http://www.nonnativespecies.org/factsheet/factsheet.cfm?speciesId=2040

https://www.invasivespeciesinfo.gov/aquatics/bullfrog.shtml

https://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=71

https://nrm.dfg.ca.gov/FileHandler.ashx?DocumentID=86493

http://species.biodiversityireland.ie/profile.php?taxonId=6998&taxonGroupName=amphibian&keyword=Invasive

http://ias.biodiversity.be/species/show/88

https://www.nvwa.nl/documenten/dier/dieren-in-de-natuur/exoten/risicobeoordelingen/factsheet-amerikaanse-stierkikker-brulkikker [NL]

Picture credits

Page 1: Lithobates catesbeianus - Bullfrog By Brian Gratwicke [CC BY 2.0]

Page 2 (left): American bullfrog (Lithobates catesbeianus) By Thomas Brown [CC BY 2.0]

Page 2 (right): Lithobates catesbeianus By Andrew DuBois [CC BY-NC 2.0]

References

- [1] N. Smitz, S. Gombeer, K. Meganck, A. Vanderheyden, Y. R. Van Bourgonie, T. Backeljau, and M. De Meyer, "Identifying IAS based on DNA barcoding using currently available sequence data: details on applied material and methods." 2019. [Online]. Available from: https://bopco.be/output/iasfactsheets.
- [2] D. R. Frost, "Amphibian Species of the World: an Online Reference. Version 6.0" American Museum of Natural History, New York, USA, 2019. [Online]. Available: http://research.amnh.org/vz/herpetology/amphibia/.
- [3] D. R. Frost, T. Grant, J. Faivovich, R.H. Bain, A. Haas, C.F. Haddad, R.O. De Sa, A. Channing, M. Wilkinson, S.C. Donnellan and C.J. Raxworthy, "The Amphibian Tree of Life" *Bull. Am. Mus. Nat. Hist.*, vol. 297, pp. 1–291, 2006.
- [4] Z.-Y. Yuan, W.W. Zhou, X. Chen, N.A. Poyarkov Jr, H.M. Chen, N.H. Jang-Liaw, W.H. Chou, N.J. Matzke, K. lizuka, M.S. Min and S.L. Kuzmin, "Spatiotemporal Diversification of the True Frogs (Genus *Rana*): A Historical Framework for a Widely Studied Group of Model Organisms" *Syst. Biol.*, vol. 65, no. 5, pp. 824–842, Sep. 2016.
- [5] L. McKercher and D. R. Gregoire, "Lithobates catesbeianus (Shaw, 1802): U.S. Geological Survey, Nonindigenous Aquatic Species Database, Gainesville, FL." 2019. [Online]. Available: https://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=71.
- [6] USDA-NISIC, "National Invasive Species Information Center: Bullfrog" 2019. [Online]. Available: https://www.invasivespeciesinfo.gov/profile/bullfrog.
- [7] CABI, "Rana catesbeiana [original text by Stan Orchard]." Invasive Species Compendium. Wallingford, UK: CAB International., 2019. [Online]. Available: https://www.cabi.org/isc/datasheet/66618.
- [8] European Alien Species Information Network EASIN, "Species Search and Mapping." [Online]. Available: https://easin.jrc.ec.europa.eu/easin/Services/SpeciesSearch.
- [9] G. F. Ficetola, C. Coïc, M. Detaint, M. Berroneau, O. Lorvelec, and C. Miaud, "Pattern of distribution of the American bullfrog *Rana catesbeiana* in Europe" *Biol. Invasions*, vol. 9, no. 7, pp. 767–772, Sep. 2007.
- [10] K. Tsiamis, E. Gervasini, I. Deriu, A.C. Cardoso. "Updates on the baseline distribution of Invasive Alien Species of Union concern (2019)", EUR 29726 EN, Publications Office of the European Union, Luxembourg, 2019, ISBN 978-92-79-02062-2, doi:10.2760/28412, JRC116322.

To cite this factsheet, please use:

Barcoding Facility for Organisms and Tissues of Policy Concern, 2019. Factsheet on *Lithobates catesbeianus*; January 2019. In: Identification of Invasive Alien Species using DNA barcodes. BopCo, Belgium. Available from: https://bopco.be/output/iasfactsheets, accessed on DD-MM-YYYY.



DISCLAIMER: The information represented in this factsheet has been compiled from many different sources. Every reasonable effort has been made to ensure that the material presented is accurate and reflects the current (see date last update) scientific knowledge. However, recent changes in e.g. taxonomy and distribution, or the publication of additional reference sequences may not be implemented. The views which are expressed in the "Conclusion" are those of the author(s) and have not been peer-reviewed. BopCo does not guarantee the accuracy of the data included in this factsheet. The content of the factsheet is for information only and is not intended as legal advice. BopCo may not be held responsible for the use which may be made of the information contained therein. If you should notice any issues considering the content of this factsheet, or if you would like to contribute any additional information to it, please contact us through bopco@naturalsciences.be.









